	Application No.	Applicant(s)	
Notice of Allowability	10/645,432	ELSASSER ET AL.	
	Examiner	Art Unit	1
	Travis M Reis	2859	
The MAILING DATE of this communication claims being allowable, PROSECUTION ON THE MERITURE (or previously mailed), a Notice of Allowance (PTO TICE OF ALLOWABILITY IS NOT A GRANT OF PATE the Office or upon petition by the applicant. See 37 CFR	TS IS (OR REMAINS) CLOSED in DL-85) or other appropriate comminate RIGHTS. This application is a 1.313 and MPEP 1308.	n this application. If not include unication will be mailed in due	ed course. THIS
The allowed claim(s) is/are 1,3-16,18,20-23,33 and 3			
★ The drawings filed on 21 August 2003 are accepted.			
<ul> <li>Acknowledgment is made of a claim for foreign price</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents</li> <li>2. ☐ Certified copies of the priority documents</li> </ul>	s have been received. s have been received in Application	on No	
3. Copies of the certified copies of the prior		d in this national stage applica	tion from the
International Bureau (PCT Rule 17.2(a))  * Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING D noted below. Failure to timely comply will result in ABANI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  A SUBSTITUTE OATH OR DECLARATION must be INFORMAL PATENT APPLICATION (PTO-152) which	DONMENT of this application.  submitted. Note the attached EX	AMINER'S AMENDMENT or N	
	_	deciaration is delibionic.	
<ul><li>☐ CORRECTED DRAWINGS ( as "replacement sheets</li><li>(a) ☐ including changes required by the Notice of Draf</li></ul>	•	w ( PTO-948) attached	
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		W ( 1 10 0 10) allabiloa	
(b) ☐ including changes required by the attached Example Paper No./Mail Date		r in the Office action of	
Identifying indicia such as the application number (see 37 each sheet. Replacement sheet(s) should be labeled as su	CFR 1.84(c)) should be written on t ch in the header according to 37 C	he drawings in the front (not the FR 1.121(d).	e back) of
DEPOSIT OF and/or INFORMATION about the attached Examiner's comment regarding REQUIREM	deposit of BIOLOGICAL MAT	ERIAL must be submitted.	Note the
ttachment(s)			
☐ Notice of References Cited (PTO-892)		nformal Patent Application (PT	O-152)
☐ Notice of Draftperson's Patent Drawing Review (PTO		iummary (PTO-413), /Mail Date	
☐ Information Disclosure Statements (PTO-1449 or PTO Paper No./Mail Date		Amendment/Comment	
	oosit 8 ⊠ Examiner's	Statement of Reasons for Alle	NACOO
☐ Examiner's Comment Regarding Requirement for De	9. 🔲 Other		owance

Application/Control Number: 10/645,432

Art Unit: 2859

## **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance:

With reference to claims 1, 3-6, 11-16, 18 & 23 the prior art of record does not disclose or clearly suggest a shock force indicating device comprising a base member and a top member providing a compressive force to a bearing being held in place until said device is subjected to a shock force greater than a predetermined threshold, in combination with the remaining limitations in the claims.

With reference to claim 7, the prior art of record does not disclose or clearly suggest a shock force indicating device comprising a bearing disposed within an indentation in said base member under an initial condition, in combination with the remaining limitations in the claims.

With reference to claim 8, 9, 20, & 21, the prior art of record does not disclose or clearly suggest a shock force indicating device comprising a spring, one end of said spring being connected to a base member at a substantially centered location on the top surface of said base member, in combination with the remaining limitations in the claims.

With reference to claim 10 & 22, the prior art of record does not disclose or clearly suggest a shock force indicating device comprising an elastic member, one end of said elastic member being connected to a base member at a substantially centered location on the top surface of said base member, in combination with the remaining limitations in the claims.

With reference to claim 33 & 34, the prior art of record does not disclose or clearly suggest a shock force indicating device comprising a pressure sensitive material disposed on the top surface of said base member & a top member having a concave lower surface, in combination with the remaining limitations in the claims.

Application/Control Number: 10/645,432

Art Unit: 2859

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Travis M Reis whose telephone number is (571) 272-2249. The examiner can normally be reached on 8–5 M--F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego Gutierrez can be reached on (571) 272-2245. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306 for all communications.

Travis M Reis Examiner Art Unit 2859 Diego Gutierrez Supervisory Patent Examiner Technology Center 2800

Page 3

tmr September 28, 2004